

# The regulatory landscape of genes, traits & disease or: *using DNase-seq data as a scaffold for integrative analyses*

Wouter Meuleman, PhD


Investigator

Altius Institute for Biomedical Sciences  
Seattle, WA USA



@nameluem  
[www.meuleman.org](http://www.meuleman.org)

# The regulatory genome can be mapped using DNase I digestion



# Challenges and opportunities for integrative data analysis





A challenge in integrative analyses is the lack of ***common coordinate systems*** and ***pragmatic annotations***



High quality bulk reference maps may anchor downstream analyses and provide scaffolds for complementary assay data

Towards comprehensively annotated maps


# A survey of chromatin accessibility across 400+ cell types and states



# A common coordinate system of DHSs




# Complex DHS patterning across cell types and states




Although generally quite cell type/state selective,  
DHSs are often shared between broader cellular contexts

# DHS patterns can be decomposed into *components*




# Components reflect distinct biological contexts and regulatory signal



# DHS Index and Vocabulary: a novel annotation of regulatory DNA

## DHS Index



3.5M+ DHSs  
Richly annotated and  
indexed across cell types

## DHS Vocabulary

- █ Placental
- █ Lymphoid
- █ Myeloid / erythroid
- █ Cardiac
- █ Musculoskeletal
- █ Vascular / endothelial
- █ Embryonic / primitive
- █ Neural
- █ Digestive
- █ Stromal A
- █ Stromal B
- █ Renal / cancer
- █ Cancer / epithelial
- █ Pulmonary devel.
- █ Organ devel. / renal
- █ Tissue invariant

# index.altius.org

g


Go

I'm Feeling Lucky


e.g., use query terms like HGNC symbols (HOXA1,  
NFKB1, etc.) or genomic regions  
(chr17:41155790-41317987, etc.)

# The regulatory landscape of genes

# Regions around genes show component-specific patterning




# Genes can be labeled based on their regulatory landscape



# Concentration of trait heritability


# GWAS signal is strongly enriched in DHS components



Estimate heritability enrichment per genome-wide annotation


DHS components show strong enrichment for heritability signal

particularly in the 'core' regions



UK Biobank traits  
LD score regression with partitioned heritability

# GWAS signal is concentrated in component concordant genic DHSs




## Gene landscape DHS types:

Component concordant (17%)

Component discordant (34%)


Genic control (18%)

Inter-genic control (35%)




Transition from a discovery era to a detection era


# Annotation of unseen datasets by embedding into existing space



Using DHS peak calls



Peak call agnostic



# Take-home messages



We provide a high-resolution common coordinate system for regulatory DNA, along with a component-based annotation

These annotations enable:

- characterization of gene regulatory landscapes
- prioritization of disease-associated genetic signals
- integration of unseen datasets, agnostic of explicit peak calls

# Acknowledgements



## Data analysis

Sasha Muratov  
Eric Rynes  
Alex Reynolds  
Eric Haugen  
Nasi Teodosiadis

## Data coordination



Richard Sandstrom  
Audra Johnson  
Jemma Nelson  
Mark Frerker  
Michael Buckley  
Rajinder Kaul

## Data generation

Jessica Halow  
Kristen Lee  
Daniel Bates  
Morgan Diegel  
Douglass Dunn  
Fidencio Neri

## Miscellaneous

Chad Lundberg  
Rae Senarighi  
Tim Mercer  
Jeff Vierstra  
John Stam.



*paper*



bioRxiv


[index.altius.org](https://index.altius.org)

*browser*



[meuleman.org](https://meuleman.org)

*data*



zenodo

